

Variablen

BACKEND

Debug (alle aktiven Variablen anzeigen)

```
print '<pre>' . htmlspecialchars(print_r(get_defined_vars(), true)) .  
'</pre>';
```

Alle JTL Variablen laden

```
$Einstellungen = array_merge($Einstellungen,  
Shop::getSettings([CONF_GLOBAL,CONF_EMAILS]));  
echo $Einstellungen['emails']['email_master_absender'];  
echo $Einstellungen['global']['global_shopname'];
```

Alle JTL Variablen anzeigen

```
print_r(Shop::getSettings([CONF_GLOBAL,CONF_EMAILS]));
```

```
CONF_GLOBAL,  
CONF_ARTIKELUEBERSICHT,  
CONF_NAVIGATIONSFILTER,  
CONF_RSS,  
CONF_ARTIKELDETAILS,  
CONF_PREISVERLAUF,  
CONF_BEWERTUNG,  
CONF_BOXEN,  
CONF_PREISVERLAUF,  
CONF_METAANGABEN,  
CONF_KONTAKTFORMULAR,  
CONF_CACHING  
CONF_EMAILS
```

From:
<https://wiki.hennweb.de/> - **HennWeb**

Permanent link:
<https://wiki.hennweb.de/doku.php?id=programmieren:jtl-shop:variablen&rev=1582824175>

Last update: **27/02/2020 18:22**

